Standard Linear Crease

Plastic Counter – Film Base

Features

- Precision engineered plastic shoulders are extremely accurate and durable
- Micro thin polyester film base to reduce rule height adjustments
- Perfectly registered 'easy on' locator ensures accurate and high quality creasing
- Low profile reduces board stress and smooth profiled shoulders allow increased press speeds
- All profiles are individuality colour coded and labelled for easy reference and to minimise the risk of mixing sizes during make ready
- Smooth curved shoulder profile allows faster press speed without 'shuffle'.
- Finger lift tape speeds up time to make-ready

Off-Center Linear Crease

Plastic Counter – Film Base

Features

- Specifically engineered for situations that require two creases close together
- Colour Coded and labelled for easy use.
- Polyester base eliminates the need to adjust rule heights.
- Easily applied locator ensures accurate positioning.
- Smooth curved shoulder profile allows faster press speed without 'shuffle'.
- Finger lift tape speeds up time to make-ready

Micro Linear Crease

Plastic Counter – Film Base

Features

- Specifically engineered for situations that require creases very close to the cutting rule.
- Colour Coded and labelled for easy use.
- Polyester base eliminates the need to adjust rule heights.
- Easily applied locator ensures accurate positioning.
- Finger lift tape speeds up time to make-ready

800.231.4603
949.428.2760 Fax
orders@pacepunches.com
pacepunches.com

STANDARD CREASING MATRIX

Standard Creasing Matrix

COLOUR CODE/ PROFILE mm/ 0.001"	Board Thickness Microns	Board Thickness Thou 0.001"	Board Weight GSM (gms/m²)	Order Reference
ORCHID 0.4 .016" 0.60/.024"	50 to 100	2 to 4	50 to 100	W040-H060
PLATINUM 0.5 .020" 0.40/.016"	50 to 100	2 to 4	50 to 100	W050-H040
DAFFODIL 0.6 .024" 0.30/.012"	50 to 100	2 to 4	50 to 100	W060-H030
FIRE 0.6 .024" 0.40/.016"	50 to 100	2 to 4	50 to 100	W060-H040
ALPINE 0.8 .032" 0.30/.012"	50 to 100	2 to 4	50 to 100	W080-H030
ORANGE 0.8 .032" 0.40/.016"	50 to 150	2 to 6	50 to 150	W080- H040
ROYAL BLUE 0.8 .032" 0.45/.018"	80 to 150	3 to 6	60 to 160	W080- H045
BLUEBERRY 1.0 .040" 0.30/.012"	100 to 170	4 to 7	100 to 165	W100-H030
BEIGE 1.0 .040" 0.40/.016"	100 to 200	4 to 8	100 to 175	W100-H040
PEACH 1.0 .040" 0.50/.020"	170 to 220	7 to 9	165 to 190	W100-H050
ESPRESSO 1.1 .044" 0.40/.016"	130 to 200	5 to 8	140 to 175	W110-H040
LIGHT PINK 1.2 .048" 0.30/.012"	190 to 230	7 to 9	170 to 195	W120-H030
LILAC 1.2 .048" 0.40/.016"	150 to 240	6 to 9	150 to 200	W120-H040
IVORY 1.2 .048" 0.45/.018"	225 to 310	9 to 12	185 to 225	W120-H045
OLIVE 1.2 .048" 0.50/.020"	285 to 330	11 to 13	210 to 240	W120-H050
SUNSET 1.2 .048" 0.60/.024"	300 to 350	11 to 13	210 to 240	W120-H060
ROSE PINK 1.3 .052" 0.30/.012"	285 to 330	11 to 13	210 to 240	W130-H030
PALE BLUE 1.3 .052" 0.40/.016"	320 to 400	13 to 16	225 to 275	W130-H040
WHITE 1.3 .052" 0.45/.018"	340 to 410	13 to 16	240 to 270	W130-H045
BRIGHT GREEN 1.3 .052" 0.50/.020"	340 to 420	13 to 17	240 to 290	W130-H050
BLACK 1.3 .052" 0.55/.022"	340 to 450	13 to 18	240 to 300	W130-H055
AUBERGINE 1.3 .052" 0.60/.024"	350 to 450	14 to 17	240 to 290	W130-H060
SHERBET 1.3 .052" 0.70/.028"	350 to 450	14 to 17	240 to 290	W130-H070
TITANIUM 1.4 .055" 0.30/.012"	350 to 420	14 to 17	240 to 290	W140-H030
OCEAN 1.4 .055" 0.40/.016"	350 to 420	14 to 17	240 to 290	W140-H040
TOFFEE 1.4 .055" 0.45/.018"	350 to 420	14 to 17	240 to 290	W140-H045
TERRACOTTA 1.4 .055" 0.50/.020"	350 to 420	14 to 17	240 to 290	W140-H050

Standard Creasing Matrix

COLOUR CODE/ PROFILE mm/ 0.001"	Board Thickness Microns	Board Thickness Thou 0.001"	Board Weight GSM (gms/m²)	Order Reference
LAGOON 1.4 .055" 0.55/.022"	350 to 420	14 to 17	240 to 290	W140-H055
SLATE 1.4 .055 0.60/.024"	50 to 100	2 to 4	50 to 100	W140-H060
LIGHT ORANGE 1.5 .060" 0.30/.012"	355 to 430	14 to 17	250 to 300	W150-H030
FLAME 1.5 .060" 0.40/.016"	370 to 440	14 to 17	250 to 300	W150-H040
APPLE GREEN 1.5 .060" 0.45/.018"	375 to 450	15 to 18	260 to 300	W150-H045
YELLOW 1.5 .060" 0.50/.020"	440 to 500	17 to 20	290 to 335	W150-H050
FUCHSIA 1.5 .060" 0.55/.022"	450 to 510	18 to 20	300 to 335	W150-H055
NAVY BLUE 1.5 .060" 0.60/.024"	460 to 520	12 to 20	300 to 335	W150-H060
ROSEWOOD 1.5 .060" 0.70/.028"	480 to 550	19 to 22	350 to 365	W150-H070
RUBY 1.5 .060 0.80/.032"	480 to 550	19 to 22	350 to 365	W150-H080
HOLLY 1.6 .063" 0.40/.016"	490 to 520	19 to 20	360 to 370	W160-H040
CORNFLOWER 1.6 .063" 0.50/.020"	490 to 520	19 to 20	360 to 370	W160-H050
SPEARMINT 1.6 .063" 0.60/.024"	490 to 530	19 to 21	360 to 370	W160-H060
LAVENDER 1.6 .063 0.80/.032"	480 to 520	19 to 20	360 to 3670	W160-H080
MOONSTONE 1.7 .065 0.30/.012"	490 to 530	19 to 21	360 to 370	W170-H030
VANILLA 1.7 .068" 0.40/.016"	490 to 530	19 to 21	360 to 370	W170-H040
AVOCADO 1.7 .068" 0.50/.020"	500 to 540	20 to 21	350 to 375	W170-H050
POWDER BLUE 1.7 .068" 0.55/.022"	500 to 550	20 to 22	350 to 375	W170-H055
PURPLE 1.7 .068" 0.60/.024"	525 to 600	21 to 24	350 to 400	W170-H060
CINNAMON 1.7 .068 0.70/.028"	500 to 550	20 to 22	350 to 375	W170-H070
PACIFIC BLUE 1.7 .068 0.80/.032"	525 to 600	21 to 24	350 to 400	W170-H080
MUSTARD 1.9 .075" 0.40/.016"	530 to 580	21 to 23	350 to 400	W190-H040
ICE BLUE 1.9 .075" 0.50/.020"	540 to 590	21 to 32	350 to 400	W190-H050
GREEN 1.9 .075" 0.60/.024"	540 to 600	21 to 24	350 to 400	W190-H060
COFFEE 1.9 .075" 0.70/.028"	550 to 600	22 to 24	360 to 400	W190-H070
ASH GREY 1.9 .075" 0.80/.032"	560 to 620	22 to 24	365 to 400	W190-H080
CHARTREUSE 2.0 .079 0.60/.024"	570 to 620	22 to 24	370 to 410	W200-H060

Linear Crease Matrix List

STANDARD CREASING MATRIX

Standard Creasing Matrix

COLOUR CODE/ PROFILE mm/ 0.001"	Board Thickness Microns	Board Thickness Thou 0.001"	Board Weight GSM (gms/m²)	Order Reference
EBONY 2.1 .083" 0.50/.020"	570 to 630	22 to 25	375 to 410	W210-H050
DIAMOND WHITE 2.1 .083" 0.60/.024"	580 to 650	23 to 26	385 to 435	W210-H060
BURGUNDY 2.1 .083" 0.65/.026"	580 to 650	23 to 26	385 to 435	W210-H065
SANDSTONE 2.1 .083" 0.70/.028"	580 to 650	23 to 26	385 to 435	W210-H070
PINK 2.1 .083" 0.80/.032"	620 to 700	24 to 28	400 to 465	W210-H080
TANGERINE 2.3 .090" 0.60/.024"	630 to 700	25 to 27	400 to 465	W230-H060
RED 2.3 .090" 0.70/.028"	640 to 700	25 to 28	420 to 465	W230-H070
LEMON 2.3 .090" 0.80/.032"	680 to 760	27 to 30	450 to 500	W230-H080
BLUEBELL 2.3 .090" 1.00/.040"	680 to 760	27 to 30	450 to 500	W230-H100
RACING GREEN 2.5 .099" 0.60/.024"	700 to 780	28 to 31	460 to 500	W250-H060 W250-H060¾
DUSK 2.5 .099" 0.70/.028"	700 to 800	28 to 31	460 to 500	W250-H070 W250-H070¾
MANILLA 2.5 .099" 0.80/.032"	700 to 800	28 to 31	460 to 500	W250-H080 W250-H080¾
LIME 2.7 .106" 0.40/.016"	700 to 800	28 to 31	460 to 500	W270-H040
DARK PINK 2.7 .106" 0.50/.020"	700 to 800	28 to 31	460 to 500	W270-H050
SAND 2.7 .106" 0.60/.024"	700 to 800	28 to 31	460 to 500	W270-H060 W270-H060¾
PEPPERMINT 2.7 .106" 0.70/.028"	700 to 800	28 to 31	460 to 500	W270-H070 W270-H070¾
BLUE 2.7 .106" 0.80/.032"	700 to 800	28 to 31	460 to 500	W270-H080 W270-H080¾
POLAR WHITE 2.7 .106" 1.00/.040"	710 to 820	28 to 32	475 to 550	W270-H100 W270-H100¾
HONEYSUCKLE 3.0 .118" 0.60/.024"	750 to 850	30 to 33	485 to 565	W300-H060 W300-H060¾
ONYX 3.0 .118" 0.70/.028"	750 to 850	30 to 33	485 to 565	W300-H070 W300-H070¾
NASTURTIUM 3.0 .118" 0.80/.032"	780 to 880	31 to 35	490 to 575	W300-H080 W300-H080¾
BROWN 3.0 .118" 1.00/.040"	800 to 1000	31 to 39	535 to 665	W300-H100 W300-H100¾
PISTACHIO 3.0 .118" 1.40/.056"	820 to 1050	32 to 41	550 to 675	W300-H140 W300-H140¾
CANARY 3.2 .126" 0.60/.024"	820 to 1050	32 to 41	550 to 675	W320-H060 W320-H060¾
LIGHT OAK 3.2 .126 0.70/.028"	820 to 1050	32 to 41	550 to 675	W320-H070 W320-H070¾
LEAF 3.2 .126" 0.80/.032"	835 to 1175	33 to 46	560 to 685	W320-H080 W320-H080¾

Standard Creasing Matrix

COLOUR CODE/ PROFILE mm/ 0.001"	Board Thickness Microns	Board Thickness Thou 0.001"	Board Weight GSM (gms/m²)	Order Reference
VIOLET 3.2 .126 1.00/.028"	835 to 1175	33 to 46	560 to 685	W320-H100 W320-H100¾
FUDGE 3.2 .126" 1.20/.048"	835 to 1175	33 to 46	560 to 685	W320-H120 W320-H120¾
TOPAZ 3.5 .138" 0.60/.024"	850 to 1250	33 to 49	570 to 695	W350-H060 W350-H060¾
BOTTLE GREEN 3.5 .138" 0.70/.028"	850 to 1250	33 to 49	570 to 695	W350-H070 W350-H070¾
MARINE BLUE 3.5 .138" 0.80/.032"	875 to 1300	34 to 51	580 to 700	W350-H080 W350-H080¾
BLUSH 3.5 .138" 1.00/.040"	875 to 1300	34 to 51	580 to 700	W350-H100 W350-H100¾
MIDNIGHT BLUE 3.5 .138" 1.10/.044	890 to 1300	35 to 51	600 to 710	W350-H110 W350-H110¾
SKY 3.5 .138" 1.20/.048"	900 to 1300	35 to 51	600 to 710	W350-H120 W350-H120¾
MULBERRY 3.5 .138" 1.40/.056"	900 to 1310	36 to 51	610 to 710	W350-H140 W350-H140¾
CITRUS 4.0 .158" 0.60/.024"	890 to 1300	35 to 51	600 to 710	W400-H060¾ W400-H060-6
AQUA 4.0 .158" 0.70/.028"	900 to 1300	35 to 51	600 to 710	W400-H070¾ W400-H070-6
CORNELIAN 4.0 .158" 0.80/.032"	910 to 1310	36 to 52	620 to 735	W400-H080¾ W400-H080-6
CYCLAMEN 4.0 .158" 0.90/.036"	930 to 1320	37 to 52	630 to 740	W400-H090¾ W400-H090-6
CARNIVAL RED 4.0 .158" 1.00/.040"	940 to 1340	37 to 53	650 to 790	W400-H100¾ W400-H100-6
GREY 4.0 .158" 1.20/.046"	1000 to 1350	39 to 53	665 to 800	W400-H120¾ W400-H120-6
AMBER 5.0 .197" 0.80/.032"	910 to 1310	36 to 52	620 to 735	W500-H080¾ W500-H080-6
SUNFLOWER 5.0 .197" 1.00/.040"	1050 to 1400	41 to 55	700 to 850	W500-H100¾ W500-H100-6
FOREST GREEN 5.0 .197" 1.20/.046"	1200 to 1450	45 to 55	780 to 880	W500-H120¾ W500-H120-6
BLACK 5.0 .197" 1.50/.060"	1300 to 1500	51 to 59	800 to 900	W500-H150¾ W500-H150-6
COCONUT 6.0 .236" 0.80/.032"	940 to 1340	37 to 53	650 to 790	W600-H080¾ W600-H080-6
COBALT BLUE 6.0 .236" 1.00/.040"	1400 to 1620	55 to 64	910 to 990	W600-H100¾ W600-H100-6
SHRIMP 6.0 .236" 1.60/.064"	1450 to 1650	57 to 66	910 to 1000	W600-H160¾ W600-H160-6
CREAM 6.0 .236" 1.70/.068"	1500 to 1700	59 to 67	900 to 1000	W600-H170¾ W600-H170-6

OFF-CENTER CREASING MATRIX

Off-Centre Creasing Matrix

COLOUR CODE/ PROFILE mm/ 0.001"	Board Thickness Microns	Board Thickness Thou 0.001"	Board Weight GSM (gms/m²)	Order Reference
ORCHID 0.4 .016" 0.60/.024"	50 to 100	2 to 4	50 to 100	W040-H060 OC
PLATINUM 0.5 .020" 0.40/.016"	50 to 100	2 to 4	50 to 100	W050-H040 OC
DAFFODIL 0.6 .024" 0.30/.012"	50 to 100	2 to 4	50 to 100	W060-H030 OC
FIRE 0.6 .024" 0.40/.016"	50 to 100	2 to 4	50 to 100	W060-H040 OC
ALPINE 0.8 .032" 0.30/.012"	50 to 100	2 to 4	50 to 100	W080-H030 OC
ORANGE 0.8 .032" 0.40/.016"	50 to 150	2 to 6	50 to 150	W080- H040 OC
ROYAL BLUE 0.8 .032" 0.45/.018"	80 to 150	3 to 6	60 to 160	W080- H045 OC
BLUEBERRY 1.0 .040" 0.30/.012"	100 to 170	4 to 7	100 to 165	W100-H030 OC
BEIGE 1.0 .040" 0.40/.016"	100 to 200	4 to 8	100 to 175	W100-H040 OC
PEACH 1.0 .040" 0.50/.020"	170 to 220	7 to 9	165 to 190	W100-H050 OC
ESPRESSO 1.1 .044" 0.40/.016"	130 to 200	5 to 8	140 to 175	W110-H040 OC
LIGHT PINK 1.2 .048" 0.30/.012"	190 to 230	7 to 9	170 to 195	W120-H030 OC
LILAC 1.2 .048" 0.40/.016"	150 to 240	6 to 9	150 to 200	W120-H040 OC
IVORY 1.2 .048" 0.45/.018"	225 to 310	9 to 12	185 to 225	W120-H045 OC
OLIVE 1.2 .048" 0.50/.020"	285 to 330	11 to 13	210 to 240	W120-H050 OC
SUNSET 1.2 .048" 0.60/.024"	300 to 350	11 to 13	210 to 240	W120-H060 OC
ROSE PINK 1.3 .052" 0.30/.012"	285 to 330	11 to 13	210 to 240	W130-H030 OC
PALE BLUE 1.3 .052" 0.40/.016"	320 to 400	13 to 16	225 to 275	W130-H040 OC
WHITE 1.3 .052" 0.45/.018"	340 to 410	13 to 16	240 to 270	W130-H045 OC
BRIGHT GREEN 1.3 .052" 0.50/.020"	340 to 420	13 to 17	240 to 290	W130-H050 OC
BLACK 1.3 .052" 0.55/.022"	340 to 450	13 to 18	240 to 300	W130-H055 OC
AUBERGINE 1.3 .052" 0.60/.024"	350 to 450	14 to 17	240 to 290	W130-H060 OC
SHERBET 1.3 .052" 0.70/.028"	350 to 450	14 to 17	240 to 290	W130-H070 OC
TITANIUM 1.4 .055" 0.30/.012"	350 to 420	14 to 17	240 to 290	W140-H030 OC
OCEAN 1.4 .055" 0.40/.016"	350 to 420	14 to 17	240 to 290	W140-H040 OC
TOFFEE 1.4 .055" 0.45/.018"	350 to 420	14 to 17	240 to 290	W140-H045 OC
TERRACOTTA 1.4 .055" 0.50/.020"	350 to 420	14 to 17	240 to 290	W140-H050 OC

Off-Centre Creasing Matrix

COLOUR CODE/ PROFILE mm/ 0.001"	Board Thickness Microns	Board Thickness Thou 0.001"	Board Weight GSM (gms/m²)	Order Reference
LAGOON 1.4 .055" 0.55/.022"	350 to 420	14 to 17	240 to 290	W140-H055 OC
SLATE 1.4 .055" 0.60/.024"	50 to 100	2 to 4	50 to 100	W140-H060 OC
LIGHT ORANGE 1.5 .060" 0.30/.012"	355 to 430	14 to 17	250 to 300	W150-H030 OC
FLAME 1.5 .060" 0.40/.016"	370 to 440	14 to 17	250 to 300	W150-H040 OC
APPLE GREEN 1.5 .060" 0.45/.018"	375 to 450	15 to 18	260 to 300	W150-H045 OC
YELLOW 1.5 .060" 0.50/.020"	440 to 500	17 to 20	290 to 335	W150-H050 OC
FUCHSIA 1.5 .060" 0.55/.022"	450 to 510	18 to 20	300 to 335	W150-H055 OC
NAVY BLUE 1.5 .060" 0.60/.024"	460 to 520	12 to 20	300 to 335	W150-H060 OC
ROSEWOOD 1.5 .060" 0.70/.028"	480 to 550	19 to 22	350 to 365	W150-H070 OC
RUBY 1.5 .060" 0.80/.032"	480 to 550	19 to 22	350 to 365	W150-H080 OC
HOLLY 1.6 .063" 0.40/.016"	490 to 520	19 to 20	360 to 370	W160-H040 OC
CORNFLOWER 1.6 .063" 0.50/.020"	490 to 520	19 to 20	360 to 370	W160-H050 OC
SPEARMINT 1.6 .063" 0.60/.024"	490 to 530	19 to 21	360 to 370	W160-H060 OC
LAVENDER 1.6 .063" 0.80/.032"	480 to 520	19 to 20	360 to 3670	W160-H080 OC
MOONSTONE 1.7 .065" 0.30/.012"	490 to 530	19 to 21	360 to 370	W170-H030 OC
VANILLA 1.7 .068" 0.40/.016"	490 to 530	19 to 21	360 to 370	W170-H040 OC
AVOCADO 1.7 .068" 0.50/.020"	500 to 540	20 to 21	350 to 375	W170-H050 OC
POWDER BLUE 1.7 .068" 0.55/.022"	500 to 550	20 to 22	350 to 375	W170-H055 OC
PURPLE 1.7 .068" 0.60/.024"	525 to 600	21 to 24	350 to 400	W170-H060 OC
CINNAMON 1.7 .068" 0.70/.028"	500 to 550	20 to 22	350 to 375	W170-H070 OC
PACIFIC BLUE 1.7 .068" 0.80/.032"	525 to 600	21 to 24	350 to 400	W170-H080 OC
MUSTARD 1.9 .075" 0.40/.016"	530 to 580	21 to 23	350 to 400	W190-H040 OC
ICE BLUE 1.9 .075" 0.50/.020"	540 to 590	21 to 32	350 to 400	W190-H050 OC
GREEN 1.9 .075" 0.60/.024"	540 to 600	21 to 24	350 to 400	W190-H060 OC
COFFEE 1.9 .075" 0.70/.028"	550 to 600	22 to 24	360 to 400	W190-H070 OC
ASH GREY 1.9 .075" 0.80/.032"	560 to 620	22 to 24	365 to 400	W190-H080 OC
CHARTREUSE 2.0 .079" 0.60/.024"	570 to 620	22 to 24	370 to 410	W200-H060 OC

Linear Crease Matrix List

OFF-CENTER CREASING MATRIX

COLOUR CODE/ PROFILE mm/ 0.001″	Board Thickness Microns	Board Thickness Thou 0.001″	Board Weight GSM (gms/m²)	Order Reference
Off-Centre Creasing Matrix				
EBONY 2.1 .083″ 0.50/.020″	570 to 630	22 to 25	375 to 410	W210-H050 OC
DIAMOND WHITE 2.1 .083″ 0.60/.024″	580 to 650	23 to 26	385 to 435	W210-H060 OC
BURGUNDY 2.1 .083″ 0.65/.026″	580 to 650	23 to 26	385 to 435	W210-H065 OC
SANDSTONE 2.1 .083″ 0.70/.028″	580 to 650	23 to 26	385 to 435	W210-H070 OC
PINK 2.1 .083″ 0.80/.032″	620 to 700	24 to 28	400 to 465	W210-H080 OC
TANGERINE 2.3 .090″ 0.60/.024″	630 to 700	25 to 27	400 to 465	W230-H060 OC
RED 2.3 .090″ 0.70/.028″	640 to 700	25 to 28	420 to 465	W230-H070 OC
LEMON 2.3 .090″ 0.80/.032″	680 to 760	27 to 30	450 to 500	W230-H080 OC
BLUEBELL 2.3 .090″ 1.00/.040″	680 to 760	27 to 30	450 to 500	W230-H100 OC
RACING GREEN 2.5 .099″ 0.60/.024″	700 to 780	28 to 31	460 to 500	W250-H060 OC
DUSK 2.5 .099″ 0.70/.028″	700 to 800	28 to 31	460 to 500	W250-H070 OC
MANILLA 2.5 .099″ 0.80/.032″	700 to 800	28 to 31	460 to 500	W250-H080 OC
LIME 2.7 .106″ 0.40/.016″	700 to 800	28 to 31	460 to 500	W270-H040 OC
DARK PINK 2.7 .106″ 0.50/.020″	700 to 800	28 to 31	460 to 500	W270-H050 OC
SAND 2.7 .106″ 0.60/.024″	700 to 800	28 to 31	460 to 500	W270-H060 OC
PEPPERMINT 2.7 .106″ 0.70/.028″	700 to 800	28 to 31	460 to 500	W270-H070 OC
BLUE 2.7 .106″ 0.80/.032″	700 to 800	28 to 31	460 to 500	W270-H080 OC

COLOUR CODE/ PROFILE mm/ 0.001″				Order Reference

CAPACITY / DOUBLE CREASING MATRIX

COLOUR CODE /PROFILE mm / 0.001″			Capacity / Double Creasing Matrix
Peach	1.0 x 0.40	1/8″	D100-040-18
Blueberry	1.0 x 0.40	1/4″	D100-040-14
Pale Blue	1.3 x 0.45	1/8″	D130-045-18
Bright Green	1.3 x 0.45	1/4″	D130-045-14

MICRO CREASINGMATRIX

Micro Creasing Matrix

COLOUR CODE/ PROFILE mm/ 0.001"	Board Thickness Microns	Board Thickness Thou 0.001"	Board Weight GSM (gms/m²)	Order Reference
ORCHID 0.4 .016" 0.60/.024"	50 to 100	2 to 4	50 to 100	W040-H060 MC
PLATINUM 0.5 .020" 0.40/.016"	50 to 100	2 to 4	50 to 100	W050-H040 MC
DAFFODIL 0.6 .024" 0.30/.012"	50 to 100	2 to 4	50 to 100	W060-H030 MC
FIRE 0.6 .024" 0.40/.016"	50 to 100	2 to 4	50 to 100	W060-H040 MC
ALPINE 0.8 .032" 0.30/.012"	50 to 100	2 to 4	50 to 100	W080-H030 MC
ORANGE 0.8 .032" 0.40/.016"	50 to 150	2 to 6	50 to 150	W080- H040 MC
ROYAL BLUE 0.8 .032" 0.45/.018"	80 to 150	3 to 6	60 to 160	W080- H045 MC
BLUEBERRY 1.0 .040" 0.30/.012"	100 to 170	4 to 7	100 to 165	W100-H030 MC
BEIGE 1.0 .040" 0.40/.016"	100 to 200	4 to 8	100 to 175	W100-H040 MC
PEACH 1.0 .040" 0.50/.020"	170 to 220	7 to 9	165 to 190	W100-H050 MC
ESPRESSO 1.1 .044" 0.40/.016"	130 to 200	5 to 8	140 to 175	W110-H040 MC
LIGHT PINK 1.2 .048" 0.30/.012"	190 to 230	7 to 9	170 to 195	W120-H030 MC
LILAC 1.2 .048" 0.40/.016"	150 to 240	6 to 9	150 to 200	W120-H040 MC
IVORY 1.2 .048" 0.45/.018"	225 to 310	9 to 12	185 to 225	W120-H045 MC
OLIVE 1.2 .048" 0.50/.020"	285 to 330	11 to 13	210 to 240	W120-H050 MC
SUNSET 1.2 .048" 0.60/.024"	300 to 350	11 to 13	210 to 240	W120-H060 MC
ROSE PINK 1.3 .052" 0.30/.012"	285 to 330	11 to 13	210 to 240	W130-H030 MC
PALE BLUE 1.3 .052" 0.40/.016"	320 to 400	13 to 16	225 to 275	W130-H040 MC
WHITE 1.3 .052" 0.45/.018"	340 to 410	13 to 16	240 to 270	W130-H045 MC
BRIGHT GREEN 1.3 .052" 0.50/.020"	340 to 420	13 to 17	240 to 290	W130-H050 MC
BLACK 1.3 .052" 0.55/.022"	340 to 450	13 to 18	240 to 300	W130-H055 MC
AUBERGINE 1.3 .052" 0.60/.024"	350 to 450	14 to 17	240 to 290	W130-H060 MC
SHERBET 1.3 .052" 0.70/.028"	350 to 450	14 to 17	240 to 290	W130-H070 MC
TITANIUM 1.4 .055" 0.30/.012"	350 to 420	14 to 17	240 to 290	W140-H030 MC
OCEAN 1.4 .055" 0.40/.016"	350 to 420	14 to 17	240 to 290	W140-H040 MC
TOFFEE 1.4 .055" 0.45/.018"	350 to 420	14 to 17	240 to 290	W140-H045 MC
TERRACOTTA 1.4 .055" 0.50/.020"	350 to 420	14 to 17	240 to 290	W140-H050 MC

Micro Creasing Matrix

COLOUR CODE/ PROFILE mm/ 0.001"	Board Thickness Microns	Board Thickness Thou 0.001"	Board Weight GSM (gms/m²)	Order Reference
LAGOON 1.4 .055" 0.55/.022"	350 to 420	14 to 17	240 to 290	W140-H055 MC
SLATE 1.4 .055" 0.60/.024"	50 to 100	2 to 4	50 to 100	W140-H060 MC
LIGHT ORANGE 1.5 .060" 0.30/.012"	355 to 430	14 to 17	250 to 300	W150-H030 MC
FLAME 1.5 .060" 0.40/.016"	370 to 440	14 to 17	250 to 300	W150-H040 MC
APPLE GREEN 1.5 .060" 0.45/.018"	375 to 450	15 to 18	260 to 300	W150-H045 MC
YELLOW 1.5 .060" 0.50/.020"	440 to 500	17 to 20	290 to 335	W150-H050 MC